

Login

The Login function is used to log a LAC administrator into LAC using a valid login and password. The response returns a token that must be used to run any other Vendor API functions. The token is valid for 3 hours from successful login.

Return values

The response is of the type [Soap_Response_Login](#).

Example request

```
<soapenv:Envelope xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns="https://license.x-formation.com/soap/type/vendor/version/1?wsdl">
    <soapenv:Header/>
    <soapenv:Body>
        <nsl:Login soapenv:encodingStyle="http://schemas.xmlsoap.org/soap/encoding/">
            <username xsi:type="xsd:string">demo</username>
            <password xsi:type="xsd:string">demo</password>
        </nsl:Login>
    </soapenv:Body>
</soapenv:Envelope>
```

Example response

```
<SOAP-ENV:Envelope SOAP-ENV:encodingStyle="http://schemas.xmlsoap.org/soap/encoding/">
<ns1:LoginResponse>
    <return xsi:type="ns1:Soap_Response_Login">
        <token xsi:type="xsd:string">390bbf1a84283460a847b492843d96c57c5eff58</token>
        <result_code xsi:type="xsd:int">0</result_code>
        <result_string xsi:nil="true"/>
    </return>
</ns1:LoginResponse>
</SOAP-ENV:Envelope>
```