

SendActivationKeysByEmail

The information on this page refers to SOAP version 2. This function does not exist in SOAP version 1.

The SendActivationKeysByEmail function is used to send an email that contains activation keys that are associated with the given email address.

This function requires a valid email address.

Return values

The response for SendActivationKeysByEmail will contain a LAC_SUCCESS code if successful or an error message if unsuccessful. See [SOAP API return codes](#) for more information about error messages.

Example request

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:ns="https://license.x-formation.com/soap/type/enduser/version/2">
  <soapenv:Header/>
  <soapenv:Body>
    <ns:SendActivationKeysByEmail soapenv:encodingStyle="http://schemas.xmlsoap.org/soap/encoding/">
      <email xsi:type="xsd:string">example@x-formation.com</email>
    </ns:SendActivationKeysByEmail>
  </soapenv:Body>
</soapenv:Envelope>
```

Example response

```
<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope SOAP-ENV:encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
  xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:ns1="https://license.x-formation.com/soap/type/enduser/version/2"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/">
  <SOAP-ENV:Body>
    <ns1:SendActivationKeysByEmailResponse>
      <return xsi:type="ns1:Soap_Response">
        <result_code xsi:type="xsd:int">0</result_code>
        <result_string xsi:nil="true"/>
      </return>
    </ns1:SendActivationKeysByEmailResponse>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```