

Syntax for Usage Per User report download



This page refers to functionality that has been removed from License Statistics. The licstatreport utility is no longer supported as of License Statistics v4.10. If you are using a previous version of License Statistics, see documentation for versions 4.0 to 4.9.

The syntax for downloading a Usage Per User report using licstatreport is as follows. (Also see [Syntax for common parameters.](#))

<code>-servername <i>name</i></code>	Specify the name of the license server for which the report will be generated.
<code>-vendorname <i>name</i></code>	Specify the name of the vendor for which the report will be generated.
<code>-licmanagertype <i>type</i></code>	Specify the type of license manager for which the report will be generated. (See Using the command-line report utility for supported types.)
<code>[-feature <i>name</i>]</code>	Specify the name of the feature for which the report will be generated. If a feature is not specified, data for all features for the specified server will be downloaded.
<code>-datefrom <i>date</i></code>	Specify the start date for which the report will be generated in YYYY-MM-DD format; for example, 2011-02-28.
<code>-dateto <i>date</i></code>	Specify the end date for which the report will be generated in YYYY-MM-DD format; for example, 2011-02-28.
<code>[-aggregateby <i>type</i>]</code>	Specify the type of aggregation to use for the report. If the aggregation type is not specified, the report will be aggregated by Username. Available options are: <ul style="list-style-type: none">• Username• Hostname• Username and hostname• Usergroup• Hostgroup
<code>[-usergroup <i>name</i>]</code>	Specify the name of the usergroup for which the report will be generated. If the usergroup is not specified, no usergroup will be used.
<code>[-hostgroup <i>name</i>]</code>	Specify the name of the hostgroup for which the report will be generated. If the hostgroup is not specified, no hostgroup will be used.

Examples

Example 1

The following example downloads a Usage Per User report to a file named "report.csv," which will contain data for server "server2" and vendor "cdslmd." The license manager type is FlexNet; therefore, the "feature" parameter is not specified and data for all features for the specified license server will be downloaded. The data range is from 1 April 2011 to 30 April 2011. In this example, the password is not specified, so the user will be prompted to enter the password after running the command.

```
licstatreport -username username -url http://license-statistics -report UsagePerUser -output report.csv -servername server2 -vendorname cdslmd -licmanagertype FlexNet -datefrom 2011-04-01 -dateto 2011-04-30
```

Example 2

You can run the following example on the License Statistics demo site at <http://licstat-demo.x-formation.com>. This example downloads a Usage Per User report to a file named "report.csv," which will contain data for the feature "plist" on server "server1" for vendor "adskflex." The date range is from 1 April 2011 to 30 April 2011. Again, the password is not specified, so enter "demo" as the password when prompted.

```
licstatreport -username demo -url http://licstat-demo.x-formation.com -report UsagePerUser -output report.csv -servername server1 -vendorname adskflex -licmanagertype FlexNet -datefrom 2011-04-01 -dateto 2011-04-30 -feature plist
```