

GetLicenseOrderList

The GetLicenseOrderList function is used to get a license order list. The license order contains all information about HostIDs and Features configured for the product.

This function uses an [offset](#) and requires a login token, which is obtained using the [Login](#) function.

Return values

The response is of the type [Soap_Response_List_LicenseOrder](#), with result_array of type [ArrayOfSoap_LicenseOrder](#).

Example request

```
<soapenv:Envelope xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns="https://license.x-formation.com/soap/type/vendor/version/1?wsdl">
  <soapenv:Header/>
  <soapenv:Body>
    <ns:GetLicenseOrderList soapenv:encodingStyle="http://schemas.xmlsoap.org/soap/encoding/">
      <token xsi:type="xsd:string">e84b130bcd3fdf26644064098acdf9f3e5a3bfaa</token>
      <offset xsi:type="xsd:int">0</offset>
    </ns:GetLicenseOrderList>
  </soapenv:Body>
</soapenv:Envelope>
```

Example response

```
<SOAP-ENV:Envelope SOAP-ENV:encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns1="https://license.x-formation.com/soap/type/vendor/version/1?wsdl"
xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Body>
    <ns1:GetLicenseOrderListResponse>
      <return xsi:type="ns1:Soap_List_LicenseOrder">
        <result_array SOAP-ENC:arrayType="ns1:Soap_LicenseOrder[1]" xsi:type="ns1:ArrayOfSoap_LicenseOrder">
          <item xsi:type="ns1:Soap_LicenseOrder">
            <customer_id xsi:type="xsd:int">2</customer_id>
            <product_template_id xsi:type="xsd:int">1</product_template_id>
            <activation_key xsi:type="xsd:string">8YIVD-UGBMH-077N6-4TPD6</activation_key>
            <creation_time xsi:type="xsd:string">2011-09-08 12:59:35</creation_time>
            <license_type xsi:type="xsd:string">local</license_type>
            <licensee_type xsi:type="xsd:string">not_specified</licensee_type>
            <licensee xsi:nil="true"/>
            <hostid_match_rate xsi:type="xsd:int">100</hostid_match_rate>
            <min_hostids xsi:type="xsd:int">1</min_hostids>
            <activated_licenses_count xsi:type="xsd:int">1</activated_licenses_count>
            <enabled xsi:type="xsd:boolean">true</enabled>
            <description xsi:type="xsd:string">desc</description>
            <Hostids SOAP-ENC:arrayType="ns1:Soap_Hostid[1]" xsi:type="ns1:ArrayOfSoap_Hostid">
              <item xsi:type="ns1:Soap_Hostid">
                <name xsi:type="xsd:string">Not Locked</name>
                <min_amount xsi:type="xsd:int">1</min_amount>
                <max_amount xsi:type="xsd:int">1</max_amount>
              </item>
            </Hostids>
            <Features SOAP-ENC:arrayType="ns1:Soap_Feature[2]" xsi:type="ns1:ArrayOfSoap_Feature">
              <item xsi:type="ns1:Soap_Feature">
                <name xsi:type="xsd:string">f1</name>
                <version xsi:type="xsd:string">1</version>
                <expiration_type xsi:type="xsd:string">no_expiration</expiration_type>
                <expiration_date xsi:nil="true"/>
                <additional_settings xsi:nil="true"/>
                <enabled xsi:type="xsd:boolean">true</enabled>
                <days_from_activation xsi:nil="true"/>
                <count xsi:nil="true"/>
              </item>
              <item xsi:type="ns1:Soap_Feature">
                <name xsi:type="xsd:string">f2</name>
                <version xsi:type="xsd:string">1</version>
                <expiration_type xsi:type="xsd:string">no_expiration</expiration_type>
                <expiration_date xsi:nil="true"/>
                <additional_settings xsi:nil="true"/>
                <enabled xsi:type="xsd:boolean">true</enabled>
                <days_from_activation xsi:nil="true"/>
                <count xsi:nil="true"/>
              </item>
            </Features>
          </item>
        </result_array>
        <result_code xsi:type="xsd:int">0</result_code>
        <result_string xsi:nil="true"/>
      </return>
    </ns1:GetLicenseOrderListResponse>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```