

# Get customer

To retrieve a customer, use the following request:

```
GET /customers/id
```

where:

- *id* (integer) is the customer ID(s).

## Example request

```
GET /customers/1 HTTP/1.1
Authorization: Bearer f794846b7c26621688e1e06164975b4eae8ce2f6
```

## Response

The LAC REST API returns the standard HTTP response codes described in the following table.

Status Code	Description
200 OK	Customer object.
403 Forbidden	Invalid or expired token provided.
404 Not Found	Customer id does not exist.

## Example Response

HTTP/1.1 200 OK  
Content-Type: application/json

```
{
  "id": "1",
  "name": "Rivers Inc",
  "description": "desc",
  "phone_number": "779.790.4969x1425",
  "fax_number": "(536)600-8229",
  "street": "008 Santiago Groves Suite 651",
  "city": "Shortport",
  "country": "USA",
  "zip_code": "62448",
  "state": "South Carolina",
  "creation_time": "2019-08-14 10:57:03",
  "update_time": "2019-08-14 10:57:03",
  "Contacts": [
    {
      "id": "1",
      "name": "James Taylor",
      "email": "nfisher@test.x-formation.com",
      "customer_id": "1",
      "creation_time": "2019-08-14 10:57:03",
      "update_time": "2019-08-14 10:57:03"
    },
    {
      "id": "2",
      "name": "Victor Martinez",
      "email": "ngallagher@test.x-formation.com",
      "customer_id": "1",
      "creation_time": "2019-08-14 10:57:03",
      "update_time": "2019-08-14 10:57:03"
    }
  ],
  "CustomTags": [
    {
      "tag_name": "custom_tag_1",
      "value": "Gouldton",
      "creation_time": "2019-08-14 10:57:03",
      "update_time": "2019-08-14 10:57:03"
    },
    {
      "tag_name": "custom_tag_2",
      "value": "Idaho",
      "creation_time": "2019-08-14 10:57:03",
      "update_time": "2019-08-14 10:57:03"
    }
  ]
}
```