

Get licenses for license order

To retrieve a license for a license order with a given activation key, use the following request:

```
GET /license-orders/activation_key/licenses
```

where:

- *activation_key* (string) is the [license order](#) activation key.

Query parameters

Query parameters include the following.

Parameter	Type	Required	Definition
offset	integer	No	Offset.

Example request

```
GET /license-orders/RG5UM-605CB-2BLTJ-0N681/licenses HTTP/1.1
Authorization: Bearer f794846b7c26621688e1e06164975b4eae8ce2f6
```

Response

The LAC REST API returns the standard HTTP response codes described in the following table.

Status Code	Description
200 OK	Licenses list.
403 Forbidden	Invalid or expired token provided.
404 Not Found	License order activation key does not exist.

Example Response

```
HTTP/1.1 200 OK
Content-Type: application/json

[
  {
    "id": "1",
    "activation_key": "RG5UM-605CB-2BLTJ-0N681",
    "license_text": "# This license is generated using X-Formation License Activation Center\n#
Generation Time: 2019-08-16 10:24:25 GMT\n# Activation Key: RG5UM-605CB-2BLTJ-0N681\n\nFEATURE Licstat\n
{\nVENDOR=XFORMATION VERSION=1.0 END=2019-10-
31\nKEY=LFMnKwg18CLMCsw6rg030EFldV4rNAEZ2ME9k0JeUjWB77p1t4pczt4n6UugF0lir8xHK0o1]Kv0uXkwhiLkUQ3[c46VzuTkpvK0
\\n\\n\\tYw0IVRXmT4[eI2[VzGdwU3VpArprKxSH]0btmUA30cdU5spI5Vosfx82xCkEC8[J5Wre9gQsNcB7fCxjqEns1ZBQABgwJlE5SKAO
\\n\\n\\tnmv]98TThmXrkGqcRbVp1pqD[6DCaCFmTgTdYmWDEE0ospOPSRYSbweNtCbIvvkmXSMcF]BWNvoFybSWFN0MA6IfE3oou2R7[9Q
\\n\\n\\taio9TXRBDT**\\n}\\n",
    "activation_time": "2019-08-16 10:24:26",
    "expiration_date": "2019-10-31",
    "HostidValues": [
      {
        "name": "Username",
        "value": "John"
      },
      {
        "name": "Bios",
        "value": "38B6ZY1"
      }
    ]
  }
]
```