

Get product template

To retrieve a product template with a given ID, use the following request:

```
GET /products/product_id/product-templates/id
```

where:

- *product_id* (integer) is the product ID.
- *id* (integer) is the product template ID.

Example request

```
GET /products/1/product-templates/1 HTTP/1.1
Authorization: Bearer f794846b7c26621688e1e06164975b4eae8ce2f6
```

Response

The LAC REST API returns the standard HTTP response codes described in the following table.

Status Code	Description
200 OK	Product template object.
403 Forbidden	Invalid or expired token provided.
404 Not Found	Product template ID does not exist.

Example Response

HTTP/1.1 200 OK
Content-Type: application/json

```
{
  "id": "1",
  "name": "Default",
  "license_filename": "license_%TIME%.lic",
  "license_type": "local",
  "licensee_type": "not_specified",
  "licensee": null,
  "activations_allowed": "1",
  "deactivations_allowed": "0",
  "description": null,
  "hostid_match_rate": "100",
  "min_hostids": "1",
  "Hostids": [
    {
      "name": "Not Locked",
      "min_amount": "1",
      "max_amount": "1"
    }
  ],
  "Features": [
    {
      "name": "Professional",
      "version": "1.0",
      "expiration_type": "no_expiration",
      "expiration_date": null,
      "issued_type": "not_issued",
      "issued_date": null,
      "options": null,
      "additional_settings": null,
      "enabled": true,
      "days_from_activation": null,
      "count": null,
      "maintenance_type": "no_maintenance",
      "maintenance_date": null,
      "maintenance_days_from_activation": null,
      "comment": null
    }
  ]
}
```