

Introduction to using License Statistics pages

The information on this page refers to License Statistics v6.20 and newer, which improved color-coding used for license server "last update time" and feature reservations "last active" information to be based on the number of query intervals elapsed since the last successful query. If you are using a version previous to v6.20, see [documentation for previous versions](#).



Customizing License Statistics pages with different colors, graphics, etc. is currently not supported.

License Statistics UI pages are intuitive to work with and include many features that help you quickly find and view the information most important to you, including the following features.


Navigation

Navigation is done using the left pane of the application window. Click on the arrows to expand/collapse sections and click on items under the sections to switch to that page. The following illustration shows switching to the "Features: Usage History" page.


The screenshot shows the License Statistics application interface. On the left is a dark blue navigation pane with the title "License Statistics" and a list of menu items: Dashboard, License Servers, Features, Current Usage, Usage History (highlighted), User History, Utilization History, Details, Reports, and Administration. A mouse cursor is pointing at the "Features" item. The main content area on the right is titled "Feature: Usage History" and contains three sections: "General Information" with fields for "License Server" (office365-X-PORTAL (Real)) and "Feature" (feature1_sim (v1.5, Floating)); "Settings" with a "Grouped by" dropdown set to "Day"; and "Feature Usage History" which is a table with columns "Date" and "Count".

	Date	Count
1	2019-06-24	0
2	2019-06-25	0

You can expand and collapse the navigation pane using the expand/collapse arrow at the bottom of the pane.




When the navigation pane is collapsed, icons remain so you can still navigate to desired pages:



Expanding content to maximum size

Most content can be expanded to take up the entire License Statistics application window by clicking the "Maximize" icon  at the upper right corner of the page/area.



Maximizing the content is particularly useful for viewing reports that have a large amount of data, more easily viewing data on a phone or tablet, or setting the view up for a screen capture.

When you expand content to maximum size, the navigation panel and other content of the page, such as selection controls, will not be visible. To return the page to its normal layout, click the "Restore down" icon  at the upper right corner of the page, or press Esc on your keyboard.

Viewing API resources

For most reports (other than Administration reports, which do not support a public API), you can see a preview of the API resources for that report by clicking the "Show API resource" icon  at the upper right corner of the report.

After clicking this icon, an API Resource window opens, with details of the API request used to generate the report, including the headers, endpoint and used parameters. You can use this information to facilitate integration with other tools, such as PowerBI, Excel or any other application that you want to allow to access the License Statistics data.

API Resource for Report: Realtime Usage

Method

POST

Content Type

☒ JSON ☐ Form Data

Headers

Accept: */*
Accept-Encoding: gzip, deflate
Content-Type: application/json; charset=UTF-8
X-Auth-Token: XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

API Tokens

URL

https://ls-ui-deploy.int.x-formation.com/api/v3/license-server/all/realtime/usage/json

Parameters
(JSON)

{
 "offset": 0,
 "limit": 20,
 "order": "futil:DESC"
}

Response
(Preview)

▼ {,...}

success: true
msg: null
▶ data: [,...]
totalCount: 8

Limiting pick list content

When selecting a license server or feature from a list, a filter area at the top of the list lets you narrow the list by typing the name of the server or feature you want to select. As you type, the list will display only the server or feature names that include the text you have entered. For example, you can type "lo" or "host" to more easily find "localhost" in a list of license servers.

Collapsing/expanding areas


The Dashboard, License Server, and Features pages include collapsible areas that let you control how much information is displayed on the page at one time. These areas have a collapse/expand arrow on the right side of the title bar. You can collapse/expand these areas by clicking on the collapse/expand arrow or simply by clicking anywhere on the title bar. (You can also expand/collapse the navigation pane as described above.)

Color coding in graphs and charts

Colors used in graphs and charts help you to immediately see the percentage of licenses being used:

- **Red:** 90% and above
- **Orange:** Below 90% and above 70%
- **Green:** Below 70%

For example, the Utilization column's percentages includes color-coding:



Color-coding is also used for license server "last update time" and feature reservations "last active" information to indicate the number of query intervals elapsed since the last successful query:

Query intervals elapsed	Color indicator
0 - 1	Green
1 - 2	Orange
2 or more	Red

Filtering results in reports

You filter report results using the options in the Settings panel. Options differ per report, but the general usage of these settings is similar, as described below.

Aggregation


Some reports let you aggregate results. Types of aggregation include:

- Username
- Hostname
- Username and Hostname
- User Group
- Host Group
- Feature
- Server

How aggregation is applied in a report

Aggregation enables you to specify detailed levels of the produced results. License usage information can be displayed for a specified entity, letting you juxtapose one set of data with another.

The following diagram shows how License Statistics aggregation options are used by real-world entities in a company.



Date range

 Prior to v6.19, date range settings were static. As of v6.19, all date range settings (other than Custom) are dynamic, as described below. If you added reports with date ranges applied to the Dashboard, you will need to replace those reports to see dynamic date ranges.

Selections for the date range you want to include in a report differ depending on the report. Date range selections may include:

- Current or Last Year
- Current or Last Quarter
- Current or Last Month
- Current or Last Week
- Today
- Yesterday
- Custom (which lets you select a specific start and end date from the calendars)

For all selections other than Custom, the range will be set according to the current date, and will adjust dynamically so that the range is always based on the current date, rather than the date upon which the setting was made.

For example, the following illustration shows "Last Week" selected for report results. The range moving forward will always reflect "last week" according to the current date, rather than the particular dates effective at the time the option was chosen.

Settings

Last Week (2023-08-13 - 2023-08-19)

Group by Day

Custom

Current Year

Last Year

Current Quarter

Last Quarter

Current Month

Last Month

Current Week

Last Week

Yesterday

<<

August 2023

>>

S	M	T	W	T	F	S
30	31	1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31	1	2
3	4	5	6	7	8	9

<<

August 2023

>>

S	M	T	W	T	F	S
30	31	1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31	1	2
3	4	5	6	7	8	9

Cancel

Apply

Grouping by time units

Some reports let you group usage information by:

- Day
- Week
- Month
- Quarter
- Year

For example, the following illustration shows grouping usage information by the day, which gives the most detailed results:

Settings

December 01, 2020 - December 14, 2020 ▼

User Usage History

Aggregate by Feature ▼

- Group by Day
- Group by Year
- Group by Quarter
- Group by Month
- Group by Week
- Group by Day**

	1↑ Date	License Server	Name	Version	Type
1	2020-12-01	xflicense-2019	licstat	6.0	Floating

How grouping by a unit of time works in a report

Grouping by a unit of time lets you group values from specified fields together. For example, license usage information can be limited to a month, and within that month displayed based on daily usage. Grouping works in the same way for all other available time units, for any set of selected values.

Let's assume the following values have been returned after grouping feature usage information by Day.

Date	Hours Used
2019-04-01	10
2019-04-02	20
2019-04-04	30
2019-04-06	40

When we choose to group the above feature usage information by Month and set the start date to April 4, 2014, we obtain the following values:

Date	Hours Used
2019-04	70

When we decide to set the start date to April 1, 2014, we get the following values:


Date	Hours Used
2019-04	100

Showing/hiding data in graphs

There are several controls for limiting data shown in reported statistics graphs to only the information you're currently interested in, as described below.

Using bulk selection toggles

Some graphs, such as in the chart in the Usage History Comparison report, include toggles at the top of the graph that let you specify what to include in the report. For example, you can toggle off visibility of borrowed licenses, total licenses, etc., as applicable to the report.



Controlling graph lines using legend labels

You can click on the labels in the legend at the top of License Statistics graphs to show/hide the data for that label. For example, the illustration below shows graph lines for all the data that is labeled at the top of the chart:



The following example shows the result of clicking on the "Daily Users" label, which hides its graph line in the chart and grays out the label color. To re-display a hidden graph line, simply click its label again.



Timeline sliders

For some charts, you can show particular portions of the timeline included in the chart by dragging the sliders located below the chart. There are two sliders; one on each end of the slider area. You can move the individual sliders by holding the mouse button directly on the slider, as shown below.



Drag slider buttons above to set visible range of chart

You can also move both sliders at once by holding and dragging between the sliders.



Drag slider buttons above to set visible range of chart

The area between the sliders is like a "window" on the timeline. In the example above, the sliders have been moved to show only the middle part of the chart's timeline.



There are technical limits beyond which the chart cannot be rendered. It will not be visible if any of the conditions are met:

- more than 20 features are selected
- there are more than 50k points for less than 5 features
- there are more than 10k points for more than 5 features

Sorting and filtering grid content

You can sort and filter grid content to see only data that is important to you.

- Sorting and filtering controls are accessible by hovering over the column heading and then clicking on the arrow that appears at the right side of the column heading.

Total	Utilization
2	
5	
100	
1	
50	10.00%
25	0.00%

A drop-down menu gives you the following options for viewing the grid contents:

- **Sort** by selected columns in ascending/descending order (see "Sorting" below for more information).
- **Hide/show columns** (select the **Columns** option, then toggle the list of columns on/off). Some columns are hidden by default, as described [below](#).
- **Limit the grid contents** (select **Filters** and then select the available options, or enter text for text fields).

- For license managers, you can filter by type:

1↓ License Manager	Gathering	Status
Autodesk	Sort Ascending	⊗ Disabled
Custom	Sort Descending	⊗ Disabled
LM-X	✕ Clear Sort	✓ Up
LM-X	Columns	✓ Up
Filters		☐ LM-X ☐ Custom ☐ Autodesk

- Use the settings at the bottom of the grid to select pages to view and control the number of rows to display per page (20 - 1000).
- The filters you apply and the number of rows you select to display in the grid will also be used when [downloading the data to a file](#). For some pages, these settings are also used in the graph content.

Sorting

When sorting grid content by columns:

- Grids may be sorted by any column by simply clicking on the column header. Clicking the column header again will toggle between ascending /descending sort order. You can also use the Sort Ascending and Sort Descending options in the column header drop-down menu.
- You can sort by up to three columns. The sort order is indicated by a number to the left of the column heading label.

2↓ Total	1↓ Utilization
50	
100	
25	
5	
2	0.00%
1	0.00%

- You can remove the sort from a column by clicking "Clear Sort" in the column header drop-down menu.

Common grid columns and default visibility settings

Feature and user reports share some common content, such as license server name, feature name, and so on. To make reports less cluttered and easier to read, some grid columns, such as "ID" and "Description," are hidden by default across all reports that contain those columns, as detailed in the following table.

License Server - Name (visible)
 License Server - Vendor (visible)
 License Server - Manager (hidden)

Column	Sub-columns/associated columns	Hidden by default
License Server	Name	
	Vendor	
	Manager	✓
	ID	✓

	Description	✓
Feature	Name	
	Version	
	Type	
	Collection	✓
	ID	✓
	Description	✓
	Expiration Date	✓
Host	Host IP	✓
	Host ID	✓
	Host Description	✓
	Host Quantity	✓
User (includes all LDAP data)	Name	
	ID	✓
	Description	✓
	Username	✓
	Full Name	✓
	LDAP Description	✓
	Email	✓
	Phone Number	✓
	Company	✓
	Department	✓
	Job Title	✓
	Country	✓
	City	✓
	Postal Cod	✓
	Post Office Box	✓
	Street Address	✓
	Province	✓

You can toggle visibility of columns by selecting the **Columns** option under the column header's drop-down menu, as illustrated below for the User column.

User	Host	Start Time
Name		1 ↓ Start Time
system		2022-10-
system		
system		
system	Is-win-stage	
system	Is-win-stage	
system	Is-win-stage	
system	Is-win-stage	
system	Is-win-stage	
system	Is-win-stage	
system	Is-win-stage	
system	Is-win-stage	
system	Is-win-stage	

Refreshing data in grids and charts

You can refresh data at any time by clicking on the Refresh icon at the bottom of grids and charts.

<< < | Page 1 of 11 | > >> |  | Rows 1 - 20 of 213 | 20 |  Save As

Clicking on the arrow next to the Refresh icon lets you set the automatic refresh interval, which is 1 minute by default.

 | Rows 1 - 20 of 212 | 20 |

Automatically refresh

every 1 min

never
 every 1 min
 every 2 min
 every 5 min
 every 10 min
 every 15 min
 every 30 min

Viewing and setting User/Host details

You can view or set the display name and description for user/host entries in all grids that include User and Host data.

To view or set the display name or description:

1. Hover over the User or Host cell that you want to view or set. A User/Host Details popup will appear.

Current Feature Usage		
	User ↓	Host
1	system	
2	system	
3	system	
4	system	
5	system	Is-win-stage

User Details

Username

system

Display Name

system

Description

Click to edit

If [displaying LDAP usernames is enabled](#), and data from LDAP was imported, the LDAP display name (shown in the "Full Name" field under LDAP Details) will be used for the username and the popup will include additional LDAP details, as illustrated below. If LDAP data was imported there is a "Full Name" field visible on the popup window. If the checkbox is selected, then this Full Name will be used on grids, until it's overridden by custom Display name

User History

User

1 John Test

2 Sam

3 John Test

User Details

Username

john

Display Name

John Test

Description

Click to edit

LDAP Details

Full Name

John Test

Username

john

Email

Telephone Number

Job Title

Department

Company

Street Address

Postal Code

Post Office Box

City

Province

Country

Description

2. Type the desired text directly into the User/Host Details table's Display Name and/or Description fields (circled in green in the illustration below).

User ↓	Host
simulatoruser4306	
simulatoruser4164	
simulatoruser4110	

User Details

Username

simulatoruser4306

Display Name

simulatoruser4306

Description

Click to edit

The Display Name you enter will override the default username/hostname and (if applicable) the LDAP username displayed in the grid.

User ↓	Host	Used
simulatoruser4164	My custom hostname	3
simulatoruser4110	My custom hostname	1
My custom username		1

User Details

✕

Username	simulatoruser4306
Display Name	My custom username
Description	My custom description

Persistent page settings per user

Throughout License Statistics pages, some user settings persist. As you move from tab to tab and when you close and reopen License Statistics, the settings you make will remain. For example, if you collapse panels in one tab of a report, the panels will also be collapsed in other tabs and the next time you log into License Statistics.

For more information, see [User preferences](#).